OIPE

DATE: 09/18/2001 RAW SEQUENCE LISTING TIME: 11:16:45 PATENT APPLICATION: US/09/938,112 Input Set : A:\D2875DIV.ST25.txt Output Set: N:\CRF3\09182001\I938112.raw 3 <110> APPLICANT: Donovan, Stephen 5 <120> TITLE OF INVENTION: Clostridial Toxin Derivatives and Methods for Treating Pain 7 <130> FILE REFERENCE: D-2875DIV C--> 9 <140> CURRENT APPLICATION NUMBER: US/09/938,112 C--> 9 <141> CURRENT FILING DATE: 2001-08-23 9 <150> PRIOR APPLICATION NUMBER: US 09/489,667 10 <151> PRIOR FILING DATE: 2000-01-19 ENTERED 12 <160> NUMBER OF SEQ ID NOS: 18 14 <170> SOFTWARE: PatentIn version 3.1 16 <210> SEQ ID NO: 1 17 <211> LENGTH: 11 18 <212> TYPE: PRT 19 <213> ORGANISM: Unknown 21 <220> FEATURE: 22 <223> OTHER INFORMATION: Description of Unknown Organism: This is a substance P and is ry well known in the art. 25 <220> FEATURE: 26 <221> NAME/KEY: MISC_FEATURE 27 <222> LOCATION: (11)..(11) 28 <223> OTHER INFORMATION: Xaa at position 11 is Methionine Amide 31 <400> SEQUENCE: 1 W--> 33 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu (Xaa 37 <210> SEQ ID NO: 2 38 <211> LENGTH: 12 39 <212> TYPE: PRT 40 <213> ORGANISM: Unknown 42 <220> FEATURE: 43 <223> OTHER INFORMATION: Description of Unknown Organism: Precursor to substance P is very well known in the art. 46 <400> SEQUENCE: 2 48 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly 52 <210> SEQ ID NO: 3 53 <211> LENGTH: 13 54 <212> TYPE: PRT 55 <213> ORGANISM: Unknown 57 <220> FEATURE:

58 <223> OTHER INFORMATION: Description of Unknown Organism: This is a precursor to

e P and is very well known in the art. $\dot{\mathcal{V}}$

63 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly Lys

61 <400> SEQUENCE: 3

67 <210> SEQ ID NO: 4 68 <211> LENGTH: 14

ve

which

substanc

69 <212> TYPE: PRT

70 <213> ORGANISM: Unknown

TIME: 11:16:45

```
Input Set : A:\D2875DIV.ST25.txt
                     Output Set: N:\CRF3\09182001\1938112.raw
     72 <220> FEATURE:
     73 <223> OTHER INFORMATION: Description of Unknown Organism: This is a precursor to
substanc
              e P and is very well known in the art. U
     74
     76 <400> SEQUENCE: 4
     78 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly Lys Arg
     82 <210> SEQ ID NO: 5
     83 <211> LENGTH: 12
     84 <212> TYPE: PRT
     85 <213> ORGANISM: Artificial Sequence
     87 <220> FEATURE:
     88 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-este
synt
     89
              hetic precursor to substance P.
     91 <220> FEATURE:
     92 <221> NAME/KEY: MISC_FEATURE
     93 <222> LOCATION: (12)..(12)
     94 <223> OTHER INFORMATION: Xaa at position 12 is Glycine Methyl Ester
     97 <400> SEQUENCE: 5
W--> 99 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Kaa
     100 1
                         5
     103 <210> SEQ ID NO: 6
     104 <211> LENGTH: 13
     105 <212> TYPE: PRT
     106 <213> ORGANISM: Artificial Sequence
     108 <220> FEATURE:
     109 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-ester
synt
               hetic precursor to substance P.
     110
     112 <220> FEATURE:
     113 <221> NAME/KEY: MISC_FEATURE
     114 <222> LOCATION: (13)..(13)
     115 <223> OTHER INFORMATION: Xaa at position 13 is Lysine Methyl Ester
     118 <400> SEQUENCE: 6
 --> 120 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly Kaa
     121 1
     124 <210> SEQ ID NO: 7
     125 <211> LENGTH: 14
     126 <212> TYPE: PRT
     127 <213> ORGANISM: Artificial Sequence
     129 <220> FEATURE:
     130 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-est/er
synt
     131
               hetic precursor to substance P.
     133 <220> FEATURE:
     134 <221> NAME/KEY: MISC_FEATURE
     135 <222> LOCATION: (14)..(14)
     136 <223> OTHER INFORMATION: Xaa at position 14 is Arginine Methyl Ester
     139 <400> SEQUENCE: 7
W--> 141 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly Lys{Xaa
     142 1
     145 <210> SEQ ID NO: 8
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/938,112

TIME: 11:16:45

Input Set : A:\D2875DIV.ST25.txt Output Set: N:\CRF3\09182001\1938112.raw 146 <211> LENGTH: 12 147 <212> TYPE: PRT 148 <213> ORGANISM: Artificial Sequence 150 <220> FEATURE: 151 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-ester synt hetic precursor to substance P. 154 <220> FEATURE: 155 <221> NAME/KEY: MISC_FEATURE 156 <222> LOCATION: (12)..(12) 157 <223> OTHER INFORMATION: Xaa at position 12 is Glycine Ethyl Ester 160 <400> SEQUENCE: 8 W--> 162 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met (Xaa 163 1 166 <210> SEQ ID NO: 9 167 <211> LENGTH: 13 168 <212> TYPE: PRT 169 <213> ORGANISM: Artificial Sequence 171 <220> FEATURE: 172 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-ester synt hetic precursor to substance P. 175 <220> FEATURE: 176 <221> NAME/KEY: MISC_FEATURE 177 <222> LOCATION: (13)..(13) 178 <223> OTHER INFORMATION: Xaa at position 13 is Lysine Ethyl Ester 181 <400> SEQUENCE: 9 W--> 183 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly(Xaa) 184 1 187 <210> SEQ ID NO: 10 188 <211> LENGTH: 14 189 <212> TYPE: PRT 190 <213> ORGANISM: Artificial Sequence 192 <220> FEATURE: 193 <223> OTHER INFORMATION: Description of Artificial Sequence: This is a carboxy-ester synt 194 hetic precursor to substance P. \ 196 <220> FEATURE: 197 <221> NAME/KEY: MISC_FEATURE 198 <222> LOCATION: (14)..(14) 199 <223> OTHER INFORMATION: Xaa at position 14 is Arginine Ethyl Ester 202 <400> SEQUENCE: 10 W--> 204 Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met Gly Lys Kaa 205 1 208 <210> SEQ ID NO: 11 209 <211> LENGTH: 4 210 <212> TYPE: PRT 211 <213> ORGANISM: Unknown 213 <220> FEATURE: 214 <223> OTHER INFORMATION: Description of Unknown Organism: This is a naturally occuring am ino thermal peptide fragment derived from substance P. (215 217 <400> SEQUENCE: 11

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/938,112

TIME: 11:16:45

```
Input Set : A:\D2875DIV.ST25.txt
                     Output Set: N:\CRF3\09182001\I938112.raw
     219 Arg Pro Lys Pro
     220 1
     223 <210> SEQ ID NO: 12
     224 <211> LENGTH: 7
     225 <212> TYPE: PRT
     226 <213> ORGANISM: Unknown
     228 <220> FEATURE:
     229 <223> OTHER INFORMATION: Description of Unknown Organism: This is a naturally
occuring am
               ino acid thermal peptide fragment derived from substance P. i.
     230
     232 <400> SEQUENCE: 12
     234 Arg Pro Lys Pro Gln Gln Phe
                         5
     235 1
     238 <210> SEQ ID NO: 13
     239 <211> LENGTH: 9
     240 <212> TYPE: PRT
     241 <213> ORGANISM: Unknown
     243 <220> FEATURE:
     244 <223> OTHER INFORMATION: Description of Unknown Organism: This is a naturally
occuring am
               ino thermal peptide frament derived from substance \mathbf{A}
     245
     247 <400> SEQUENCE: 13
     249 Arg Pro Lys Pro Gln Gln Phe Phe Gly
     250 1
     253 <210> SEQ ID NO: 14
     254 <211> LENGTH: 11
     255 <212> TYPE: PRT
     256 <213> ORGANISM: Artificial Sequence
     258 <220> FEATURE:
     259 <223> OTHER INFORMATION: Description of Artificial Sequence: This is an analog of
substan
     260
               ce P.
     262 <220> FEATURE:
     263 <221> NAME/KEY: MISC_FEATURE
     264 <222> LOCATION: (2)..(11)
     265 <223> OTHER INFORMATION: Xaa at position 2 is D-form of Proline, Xaa at position 7 is
D-fo
               rm of Phenylalanine, Xaa at position 9 is D-form of Tryptophan, X
     266
               aa at position 11 Methionine Amide
     267
     270 <400> SEQUENCE: 14
W--> 272 Arg Xaa Lys Pro Gln Gln Xaa Phe Xaa Leu Xaa
     273 1
     276 <210> SEQ ID NO: 15
     277 <211> LENGTH: 12
     278 <212> TYPE: PRT
     279 <213> ORGANISM: Artificial Sequence
     281 <220> FEATURE:
     282 <223> OTHER INFORMATION: Description of Artificial Sequence: This is an analog of
substan
     283
               ce P.
     285 <220> FEATURE:
     286 <221> NAME/KEY: MISC_FEATURE
     287 <222> LOCATION: (2)..(9)
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/938,112

288 <223> OTHER INFORMATION: Xaa at position 2 is D-form of Proline, Xaa at position 7 is D-for

```
TIME: 11:16:45
                     PATENT APPLICATION: US/09/938,112
                     Input Set : A:\D2875DIV.ST25.txt
                     Output Set: N:\CRF3\09182001\I938112.raw
               m of Phenylalanine, Xaa at position 9 is D-form of Tryptophan
     292 <400>__SEQUENCE: 15
W--> 294 Arg /Kaa) Lys Pro Gln Gln/Xaa) Phe /Kaa) Leu Met Gly
                                              10
     295 1
                          5
     298 <210> SEQ ID NO: 16
     299 <211> LENGTH: 11
     300 <212> TYPE: PRT
     301 <213> ORGANISM: Artificial Sequence
     303 <220> FEATURE:
     304 <223> OTHER INFORMATION: Description of Artificial Sequence: This is an analog of
substan
     305
               ce P.
     307 <220> FEATURE:
     308 <221> NAME/KEY: MISC_FEATURE
     309 <222> LOCATION: (2)..(11)
     310 <223> OTHER INFORMATION: Xaa at position 2 is D-form of Proline, Xaa at position 7 is
D-fo
               rm of Tryptophan, Xaa at position 9 is D-form of Tryptophan, Xaa;
     311
     312
               at position 11 is Methionine Amide
     315 <400> SEQUENCE: 16
W--> 317 Arg (Xaa) Lys Pro Gln Gln (Xaa) Phe (Xaa) Leu (Xaa
     318 1
     321 <210> SEQ ID NO: 17
     322 <211> LENGTH: 12
     323 <212> TYPE: PRT
     324 <213> ORGANISM: Artificial Sequence
     326 <220> FEATURE:
     327 <223> OTHER INFORMATION: Description of Artificial Sequence: This is an analog of
substan
     328
               ce P.
     330 <220> FEATURE:
     331 <221> NAME/KEY: MISC_FEATURE
     332 <222> LOCATION: (2)..(9)
     333 <223> OTHER INFORMATION: Xaa at position 2 is D-form of Proline, Xaa at position 7 is
D-fo
               rm of Tryptophan, Xaa at position 9 is D-form of Tryptophan '
     334
     337 <400> SEQUENCE: 17
W--> 339 Arg |Xaa | Lys Pro Gln Gln Kaa | Phe (Xaa Leu Met Gly
                                              10
     340 1
                         5
     343 <210> SEQ ID NO: 18
     344 <211> LENGTH: 11
     345 <212> TYPE: PRT
     346 <213> ORGANISM: Artificial Sequence
     348 <220> FEATURE:
     349 <223> OTHER INFORMATION: Description of Artificial Sequence: This is an analog of
substan
     350
               ce P.
     352 <220> FEATURE:
     353 <221> NAME/KEY: MISC_FEATURE
     354 <222> LOCATION: (11)..(11)
     355 <223> OTHER INFORMATION: Xaa at position 11 is Methionine Amide
     358 <400> SEQUENCE: 18
W--> 360 Arg Pro Cys Pro Gln Cys Phe Tyr Gly Pro Xaa
```

RAW SEQUENCE LISTING

361 1 5 10





VERIFICATION SUMMARY DATE: 09/18/2001 TIME: 11:16:46

PATENT APPLICATION: US/09/938,112

Input Set : A:\D2875DIV.ST25.txt

L:339 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 L:360 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18

Output Set: N:\CRF3\09182001\I938112.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:33 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 L:99 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 L:120 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 L:141 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 L:162 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 L:183 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 L:204 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 $L:272\ M:341\ W:$ (46) "n" or "Xaa" used, for SEQ ID#:14 L:294 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 L:317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16